



HYDROJET HOSES



155 °C

Up to 400 Bar

Extremely flexible

Abrasion resistant

Weatherproof

www.bmcenergy.co

**JET4KNW
UP TO 280 BAR - BLACK COVER**



Construction

Synthetic rubber inner tube

One high tensile steel wire braid reinforcement

Synthetic rubber wrap cover



PART N.	INTERNAL			W.P. BAR
	Size	Inch	DN	
JET4KNS-04	-4	1/4"	6	280
JET4KNS-05	-5	5/16"	8	280
JET4KNS-06	-6	3/8"	10	240
JET4KNS-08	-8	1/2"	12	210

**JET4KBW
UP TO 280 BAR - BLUE COVER**



Construction

Synthetic rubber inner tube

One high tensile steel wire braid reinforcement

Synthetic rubber wrap cover



PART N.	INTERNAL			W.P. BAR
	Size	Inch	DN	
JET4KNS-04	-4	1/4"	6	280
JET4KNS-05	-5	5/16"	8	280
JET4KNS-06	-6	3/8"	10	240
JET4KNS-08	-8	1/2"	12	210

**JET6KNW
UP TO 400 BAR - BLACK COVER**



Construction

Synthetic rubber inner tube

Two high tensile steel wire braid reinforcement

Synthetic rubber wrap cover



PART N.	INTERNAL			W.P. BAR
	Size	Inch	DN	
JET6KNW-04	-4	1/4"	6	400
JET6KNW-05	-5	5/16"	8	400
JET6KNW-06	-6	3/8"	10	400
JET6KNW-08	-8	1/2"	12	360

**JET6KBW
UP TO 400 BAR - BLUE COVER**



Construction

Synthetic rubber inner tube

Two high tensile steel wire braid reinforcement

Synthetic rubber wrap cover



PART N.	INTERNAL			W.P. BAR
	Size	Inch	DN	
JET6KNW-04	-4	1/4"	6	400
JET6KNW-05	-5	5/16"	8	400
JET6KNW-06	-6	3/8"	10	400
JET6KNW-08	-8	1/2"	12	360

**JET4KNS
UP TO 280 BAR - BLACK COVER**



Construction

Synthetic rubber inner tube

One high tensile steel wire braid reinforcement

Rubber & thermoplastic compound extruded cover



PART N.	INTERNAL			W.P. BAR
	Size	Inch	DN	
JET4KNS-04	-4	1/4"	6	280
JET4KNS-05	-5	5/16"	8	280
JET4KNS-06	-6	3/8"	10	240
JET4KNS-08	-8	1/2"	12	210

**JET4KNS
UP TO 280 BAR - BLUE COVER**



Construction

Synthetic rubber inner tube

One high tensile steel wire braid reinforcement

Rubber & thermoplastic compound extruded cover



PART N.	INTERNAL			W.P. BAR
	Size	Inch	DN	
JET4KNS-04	-4	1/4"	6	280
JET4KNS-05	-5	5/16"	8	280
JET4KNS-06	-6	3/8"	10	240
JET4KNS-08	-8	1/2"	12	210

**JET6KNS
UP TO 400 BAR - BLACK COVER**



Construction

Synthetic rubber inner tube

Two high tensile steel wire braid reinforcement

Rubber & thermoplastic compound extruded cover



PART N.	INTERNAL			W.P. BAR
	Size	Inch	DN	
JET6KNS-04	-4	1/4"	6	400
JET6KNS-05	-5	5/16"	8	400
JET6KNS-06	-6	3/8"	10	400
JET6KNS-08	-8	1/2"	12	360

**JET6KBS
UP TO 400 BAR - BLUE COVER**



Construction

Synthetic rubber inner tube

Two high tensile steel wire braid reinforcement

Rubber & thermoplastic compound extruded cover



PART N.	INTERNAL			W.P. BAR
	Size	Inch	DN	
JET6KNS-04	-4	1/4"	6	400
JET6KNS-05	-5	5/16"	8	400
JET6KNS-06	-6	3/8"	10	400
JET6KNS-08	-8	1/2"	12	360